



NETTING & BANNERS

- **High strength protection netting**
- **Netting "F.I.S. A,B,C"**
- **Marker netting**
- **Signposting banners**
- **Stakes & accessories**
- **Drills**
- **Baricade netting**
- **PEHD netting**
- **Wind-break netting**

Equipment for competition slopes



We can provide turnkey projects in supplying and installing A-Nets lines for slopes hosting competition runs. Our technicians can also provide technical support during competitions.

OFFICIAL SUPPLIER TO

- Olympic Games: SARAJEVO, ALBERTVILLE
- Olympic training course: Serre Chevalier
- World Championships: Crans Montana, Sestrières, Sierra Nevada.



adjustment lock



0101904

pulley



0101902

spring hook



0101903

slip mat



0101300

attachment




0101901

F.I.S. - APPROVED TYPE "A" HIGH STRENGTH NETTING

0101100	F.I.S. "A" Protection netting - red polyethylene - 70 x 70 mm mesh 5 mm strand - tightening cord - eyelets at ends - per m ²	m ²
0101300	Red high strength netting slip mat - PVC coated - 2.25 x 25 m	U
0101310	Red PVC slip mat - per m ²	m ²
0101320	Red PVC slip mat - 30 cm flap - per m ²	m ²
0101901	Slip mat attachment - elasticised cord - attachment hook	U
0306208	Polyamide rope - Ø 10 mm - 200 m roll	U
0101902	Pulley with oscillating side plates	U
0101903	Galvanised steel spring hook - Ø 10 mm	U
0304209	Yellow and black polyethylene rope - Ø 9 mm - 200 m roll	U
0101904	Netting low tension adjustment lock	U

Safety systems on frames for ski slopes



Advantages

- Up to 3 m distance between net and frame
- Covers smaller area on slope, so ideal for narrow slopes, pathways and bridges
- Space between frames 12 to 20 m
- Netting hoisted and tensioned by winch or zig zag

Design, construction, installation and maintenance

supports vary according to terrain: solid concrete, sheathing, iron cage

quotation

SAFETY SYSTEMS INSTALLED ON FRAMES

"C"-shaped frame - height: 6 m - Ø 114 mm - thickness: 8 mm	quotation
Base for "C"-shaped frame	quotation
Elbow frame - choice of height - choice of diameters: 88.9 mm - 101.6 mm - ...	quotation
Base for elbow frame	quotation
Straight post - choice of height - choice of diameters: 88.9 mm - 101.6 mm - ...	quotation
Base for straight post	quotation

FIXED SAFETY NETTING AS PER NF S52 106 - Type S1

0102010	High strength protection netting - red polyethylene - 100 x 100 mm mesh 5 mm strand - tightening cord - NF S52 106 S1 - per m ²	m ²
0102020	High strength protection netting - red polyethylene - 70 x 70 mm mesh 3.5 mm strand - tightening cord - NF S52 106 S1 - per m ²	m ²
0102030	High strength protection netting - red polyethylene - 50 x 50 mm mesh 3.5 mm strand - tightening cord - NF S52 106 S1 - per m ²	m ²
0306208	Polyamide rope - Ø 10 mm - 200 m roll	U
0101902	Pulley with oscillating side plates	U
0101903	Galvanised steel spring hook - Ø 10 mm	U
0304209	Yellow and black polyethylene rope - Ø 9 mm - 200 m roll	U
0101904	Netting low tension adjustment lock	U



STANDARD TRIANGULAR HIGH STRENGTH NETTING

0103010	High strength protection netting - red polyethylene - 100 x 100 mm mesh 5 mm strand - tightening cord - 2.50 m base - height 6 m	<i>U</i>
0103020	High strength protection netting - red polyethylene - 100 x 100 mm mesh 5 mm strand - tightening cord - base 6 m - height 6 m	<i>U</i>
0103030	High strength protection netting - red polyethylene - 100 x 100 mm mesh 5 mm strand - tightening cord - base 9 m - height 7 m	<i>U</i>
0103040	High strength protection netting - red polyethylene - 100 x 100 mm mesh 5 mm strand - tightening cord - base 12 m - height 12 m	<i>U</i>



Mobile protection systems



MOBILE SAFETY NETTING AS PER NF S52 106 - Type S2

S2 NETTING

0104010	High strength protection netting - red polyethylene - 100 x 100 mm mesh 5 mm strand - no tightening cord - NF S52 106 S2 - per m ²	<i>m²</i>
0104020	High strength protection netting - red polyethylene - 70 x 70 mm mesh 3.5 mm strand - no tightening cord - NF S52 106 S2 - per m ²	<i>m²</i>
0104030	High strength protection netting - red polyethylene - 50 x 50 mm mesh 3.5 mm strand - no tightening cord - NF S52 106 S2 - per m ²	<i>m²</i>

STAKES

0104101	Red polycarbonate stake - Ø 48 mm - height 2 m - no spike	<i>U</i>
0104102	Red polycarbonate stake - Ø 48 mm - height 2.50 m - no spike	<i>U</i>
0104103	Red polycarbonate stake - Ø 48 mm - height 3 m - no spike	<i>U</i>
0104202	Fluorescent yellow / black polycarbonate stake - Ø 48 mm - height 2.50 m - no spike	<i>U</i>
0104203	Fluorescent yellow / black polycarbonate stake - Ø 48 mm - height 3 m - no spike	<i>U</i>
0104253	Fluorescent red ribbed high strength polycarbonate stake - Ø 48 mm - height 2.50 m - no spike	<i>U</i>
0401303	Fluorescent red ribbed high strength polycarbonate stake - Ø 48 mm - height 3 m - no spike	<i>U</i>



Supports and accessories for Ø 48 mm stakes



ACCESSORIES


0104901	Adjustable collar for Ø 48 mm stake	<i>U</i>
0104911	Tapered spike for Ø 48 mm polycarbonate stake	<i>U</i>
0104912	Screw-in spike for Ø 48 mm polycarbonate stake	<i>U</i>
0104913	Tapered by high strength Ø 48 mm polycarbonate stake	<i>U</i>
0104914	Screw-in spike for high strength Ø 48 mm polycarbonate stake	<i>U</i>
0104991	Installation of a spike on Ø 48 mm stake	<i>Fixed price</i>



SUPPORTS

0104921	Galvanised steel crosspiece - 80 cm	<i>U</i>
0104931	Galvanised steel spiked base stud for Ø 48 mm stake	<i>U</i>
0104932	Galvanised steel spiked base stud, stabilisation plate and cap Ø 48 mm stake	<i>U</i>
0104933	Steel tool for driving base studs into the ground	<i>U</i>

F.I.S.-Approved Type "B" protection netting F.I.S.-Approved Type "C" spectator netting



F.I.S.-APPROVED TYPE "B" PROTECTION NETTING

0105010	F.I.S. "B" protection netting - red polyethylene - 50 x 50 m mesh 3.5 mm strand - double-lined edge - 20 x 2 m	<i>U</i>
0105101	Red polycarbonate stake - Ø 35 mm - thickness 3.5 mm height 2.50 m - screw-in spike	<i>U</i>
0105201	Red polycarbonate stake - Ø 35 mm - thickness 3.5 mm height 2.50 m - tapered spike	<i>U</i>
0105991	Installation of Ø 35 mm stake on netting	<i>fixed price</i>
0105901	Adjustable collar for Ø 35 mm stake	<i>U</i>
0105911	Woven polypropylene bag - 1.30 x 0.70 m - to hold 2 "B" nets	<i>U</i>

F.I.S.-APPROVED TYPE "C" SPECTATOR NETTING

0107320	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - 25 x 1.30 m	<i>U</i>
0107340	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - 50 x 1.30 m	<i>U</i>
0106101	"Grand froid" Red PVC stake - Ø 35 mm - height 1.60 m - tapered spike	<i>U</i>
0106201	Red polycarbonate stake - Ø 35 mm - thickness 3.5 mm height 1.60 m - tapered spike	<i>U</i>
0106991	Installation of Ø 35 mm stake on netting	<i>fixed price</i>
0105901	Adjustable collar for Ø 35 mm stake	<i>U</i>

adjustable collar
Ø 35



0105901

Marker netting



RED MARKER NETTING

0107311	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge 25 x 1 m - 7 fibreglass stakes 1.50 m	<i>U</i>
0107321	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge 25 x 1.30 m - 9 fibreglass stakes 1.75 m	<i>U</i>
0107331	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge 50 x 1 m - 13 fibreglass stakes 1.50 m	<i>U</i>
0107341	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge 50 x 1.30 m - 15 fibreglass stakes 1.75 m	<i>U</i>
0107310	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge - 25 x 1 m	<i>U</i>
0107320	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge - 25 x 1.30 m	<i>U</i>
0107330	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge - 50 x 1 m	<i>U</i>
0107340	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge - 50 x 1.30 m	<i>U</i>
0107300	Red polyethylene netting - 100 x 100 mm mesh - 3 mm strand - double-lined edge - per m ²	<i>m</i> ²



BLUE MARKER NETTING

0107221	Blue polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - 25 x 1.30 m - 9 fibreglass stakes 1.75 m	<i>U</i>
0107241	Blue polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - 50 x 1.30 m - 15 fibreglass stakes 1.75 m	<i>U</i>
0107220	Blue polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - 25 x 1.30 m	<i>U</i>
0107240	Blue polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - 50 x 1.30 m	<i>U</i>
0107200	Blue polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - per m ²	<i>m</i> ²



GREEN MARKER NETTING

0107100	Green polyethylene netting - 100 x 100 mm mesh - 3 mm strand double-lined edge - per m ²	<i>m</i> ²
----------------	--	-----------------------

Marker netting



"BALICO" YELLOW AND RED NETTING

0107511	"Balico" yellow and red netting - 25 x 0.30 m - 7 fibreglass stakes 1.50 m	<i>U</i>
0107521	"Balico" yellow and red netting - 25 x 1 m - 7 fibreglass stakes 1.50 m	<i>U</i>
0107510	"Balico" yellow and red netting - 25 x 0.30 m	<i>U</i>
0107520	"Balico" yellow and red netting - 25 x 1 m	<i>U</i>

Netting reel for slope closure



NETTING REEL

0108001	Steel reel for "Balico" netting (for piste closure) - attached to \varnothing 60 to 120 mm post - tensioning system - tilting drum - height 0.50 m	<i>U</i>
0107500	"Balico" yellow and red netting - height 0.50 m - per m	<i>m</i>
0108051	"Closed" banner - 4 languages - pictogram HF-welded to "Balico" netting - 2 x 0.50 m	<i>U</i>

Stakes - Accessories - Drills

bungee with tipping end



bungee with self-locking catch



drive head



lower attachment



STAKES AND ACCESSORIES FOR NETTING AND BANNERS

0109150	Fibreglass stake - Ø 16 mm - drive head - protective varnish - netting attachments - height 1.50 m	U
0109175	Fibreglass stake - Ø 16 mm - drive head - protective varnish - netting attachments - height 1.75 m	U
0109901	Installation of fibreglass stake on netting	<i>fixed price</i>
0109902	Stainless steel sliding lower attachment for fibreglass stake	U
0109903	Drive head for fibreglass stake Ø 16 mm	U
0109904	Rubber mallet	U
0109905	5 mm bungee with tipping end for a signposting banner	U
0109906	5 mm bungee with self-locking catch for 50 et 25 m netting	U
0109907	5 mm bungee with self-locking catch for signposting netting	U
0109908	5 mm bungee - 200 m roll	U
0109909	Self-locking catch for 5 mm bungee	U
0109911	Red strand for netting repair - Ø 3.5 mm - 2 kg - approx. 400 m	U
0109912	Red strand for netting repair - Ø 5 mm - 2 kg - approx. 250 m	U



DRILLS AND DRILL BITS

0110001	BOSCH GBH - 24V - 3 Ah drill - 2 chucks - 2 batteries - charger - carrying case	U
0110011	HITACHI DH+BN - 24 V - 3 Ah drill - 1 SDS+ chuck - 2 batteries - charger - carrying case	U
0110116	Drill bit for snow and ice - SDS end - Ø 16 mm	U
0110125	Drill bit for snow and ice - SDS end - Ø 25 mm	U
0110130	Drill bit for snow and ice - SDS end - Ø 30 mm	U
0110135	Drill bit for snow and ice - SDS end - Ø 35 mm	U
0110150	Drill bit for snow and ice - Hexagonal end - Ø 50 mm	U