



PROTECTIVE PADS

- **Standard protective pads**
- **Closed cell protective pad**
- **Snow cannon protective pad**
- **Accessories**
- **Miscellaneous protective pad**



Standard protective pads



Protective pad, made of smooth PVC 650 g/m² or "Rédui'glisse" slip-reduction PVC 700 g/m².
Fully assembled by high frequency welding for a tight seal.
Foam certified 22 kg/m³.
Pad delivered with attachment fittings.



details REDUI'GLISSE



attach with hooks and Ø 8 mm bungee

thickness 15 cm	SMOOTH		REDUI'GLISSE SLIP-REDUCTION	
	orange	red	orange	red
2,00 m x 2,00 m	0205000	0203000	0205500	0203500
2,00 m x 1,50 m	0205010	0203010	0205510	0203510
2,00 m x 1,20 m	0205020	0203020	0205520	0203520
2,00 m x 1,00 m	0205030	0203030	0205530	0203530
2,00 m x 0,75 m	0205040	0203040	0205540	0203540
2,00 m x 0,50 m	0205050	0203050	0205550	0203550
2,00 m x 0,25 m	0205070	0203070	0205570	0203570
1,50 m x 0,50 m	0205060	0203060	0205560	0203560
1,50 m x 0,25 m	0205080	0203080	0205580	0203580
Ø INT. 100 half-circle	0205090	0203090	-	-
Ø INT. 200 half-circle	0205091	0203091	-	-
Ø INT. 100	0205095	0203095	-	-
Ø INT. 200	0205096	0203096	-	-

0209000 EXTRA for 40 mm straps and oval eyelets

fixed price

CUSTOMIZATION:

- ONE-COLOUR CUSTOMIZATION
- DIGITAL FOUR-COLOUR PRINTING

PLEASE CONTACT US

Standard protective pads



Thickness 20 cm complies with standard NF S 52-105 Type 1
Attachment using hooks and Ø 8 mm bungee.



thickness 20 cm	SMOOTH		REDUI'GLISSE SLIP-REDUCTION	
	orange	red	orange	red
2,00 m x 2,00 m	0215000	0213000	0215500	0213500
2,00 m x 1,50 m	0215010	0213010	0215510	0213510
2,00 m x 1,20 m	0215020	0213020	0215520	0213520
2,00 m x 1,00 m	0215030	0213030	0215530	0213530




Thickness 10 cm complies with standard NF S 52-105 Type 2
Attachment using hooks and Ø 8 mm bungee



thickness 10 cm	SMOOTH		REDUI'GLISSE SLIP-REDUCTION	
	orange	red	orange	red
2,00 m x 2,00 m	0225000	0223000	0225500	02235000
2,00 m x 1,50 m	0225010	0223010	0225510	0223510
2,00 m x 1,20 m	0225020	0223020	0225520	0223520
2,00 m x 1,00 m	0225030	0223030	0225530	0223530
2,00 m x 0,75 m	0225040	0223040	0225540	0223540
2,00 m x 0,50 m	0225050	0223050	0225550	0223550
2,00 m x 0,25 m	0225070	0223070	0225570	0223570
1,50 m x 0,50 m	0225060	0223060	0225560	0223560
1,50 m x 0,25 m	0225080	0223080	0225580	0223580
Ø INT. 100 half-circle	0225090	0223090	0225590	0223590
Ø INT. 200 half-circle	0225091	0223091	0225591	0223591
Ø INT. 100	0225095	0223095	0225595	0223595
Ø INT. 200	0225096	0223096	0225596	0223596

Closed cell protective pad



0230030	Closed cell protective pad - internal diameter 30 mm thickness 20 mm - height 2 m - yellow	P
0230031	Closed cell protective pad - internal diameter 60 mm thickness 30 mm - height 2 m - yellow	P
0230032	Closed cell protective pad - internal diameter 100 mm thickness 20 mm - height 2 m - yellow	P

Snow cannon protective pad



Protective pad, made of smooth PVC 650 g/m² or "Rédui'glisse" slip-reduction PVC 700 g/m².

Fully assembled by high frequency welding for a tight seal.

Foam certified 22 kg/m³. pad delivered with attachment fittings.



wallet pad



upper pad



U-shaped pad




B3 type



Thickness 15 cm	SMOOTH		"REDUI'GLISS" SLIP-REDUCTION	
	orange	red	orange	red
2,00 m x 2,00 m	0205000	0203000	0205500	0203500
WALLET height 2 m x (2 x 1 m)	0245010	0243010	0245510	0243510
"U" - SHAPED * effective profile 0,92 mm height 2,00 m	0245000	0243000	0245500	0243500
UPPER PAD 2 m	0245020	0243020	0245520	0243520
B3 Type	0245080	0243080	-	-
B3 HEAD	0245090	0243090	-	-
B3 BODY	0225060	0243060	-	-

* details "U"



0209000 EXTRA for 40 mm straps and oval eyelets

fixed price

CUSTOMIZATION:

- ONE-COLOUR CUSTOMIZATION
- DIGITAL FOUR-COLOUR PRINTING

PLEASE CONTACT US

Snow cannon protective pad




Thickness 10 cm complies with standard NF S 52-105 Type 2
Attachment using hooks and bungee.



Thickness 10 cm	SMOOTH		"REDUI'GLISS" SLIP-REDUCTION	
	orange	red	orange	red
2,00 m x 2,00 m	0225000	0223000	0225500	0223500
WALLET height 2 m x (2 x 1 m)	0255010	0253010	0255510	0253510
"U" - SHAPED * effective profile 0,92 mm height 2,00 m	0255000	0253000	0255500	0253500
UPPER PAD 2 m	0255020	0253020	0255520	0253520
B3 Type	0255080	0253080	-	-
B3 HEAD	0255090	0253090	-	-
B3 BODY	0205060	0203060	-	-

* details "U"



0209000 EXTRA for 40 mm straps and oval eyelets

fixed price

CUSTOMIZATION:

- ONE-COLOUR CUSTOMIZATION
- DIGITAL FOUR-COLOUR PRINTING

PLEASE CONTACT US

Accessories for pad installation and upkeep



0209001	Red bungee - Ø 8 mm - 100 m roll	U
0209002	Red lock ball for Ø 8 mm bungee	U
0209003	Zinc-plated steel S hook - 40 x 8 x 4 mm	U
0209004	Red strap - width 40 mm - 100 m roll	U
0209005	Set of high strength plastic buckles for 40 mm	U
0209006	protective pad repair kit 2 m ² smooth ORANGE outer sheet - 1kg adhesive	U
0209007	Kit de réparation pour matelas de protection - 2 m ² smooth RED outer sheet - 1kg adhesive	U

Special protective pad



toboggan
run



MISCELLANEOUS PROTECTIVE PAD

0263000	Triangular cell protective pad - 0.60 x 0.50 x 0.80 m - Smooth outer sheet - Red	<i>U</i>
0265500	Toboggan run protective pad - 2 x 0.50 x 0.50 m - "Rédui'glisse" slip-reduction outer sheet - ORANGE - Brackets for Ø 48 mm stakes	<i>U</i>
0265520	Toboggan run protective pad - 2 x 0.50 x 0.20 m - "Rédui'glisse" slip-reduction outer sheet - Orange - Brackets for Ø 48 mm stakes	<i>U</i>
0265521	Toboggan run protective pad - 2 x 0.50 x 0.20 m - "Rédui'glisse" slip-reduction outer sheet - Orange - Brackets for Ø 48 mm stakes - Velcro closure	<i>U</i>
0265510	Toboggan run protective pad - 4 x 0.50 x 0.20 m - "Rédui'glisse" slip-reduction outer sheet - Orange - Brackets for Ø 48 mm stakes	<i>U</i>
0265511	Toboggan run protective pad - 4 x 0.50 x 0.20 m - "Rédui'glisse" slip-reduction outer sheet - Orange - Brackets for Ø 48 mm stakes - Velcro closure	<i>U</i>
0269000	Cover for straw bale	<i>Per 10</i>

