

GLISSPRO 2000



Aluminium stretcher sleigh.

Red PVC-coated Cordura sheets with pocket and ski rack.

Inner and outer supporting straps. Double traction strap.



Length	2000 mm
Width	560 mm
Weight	30,3 kg

GLISSPRO 2000

0503001	GLISSPRO 2000 structure - aluminium framework	P
0503901	Optional 3-position adjustable backrest	P



Brakes on copper bearing with splash-proof skirt



Cestilene runner base thickness 20 mm
Double stainless steel guide plates



1100 denier PVC-coated Cordura sheet with Velcro pocket for blanket, pump and splints



Optional 3-position adjustable backrest / 0503901

Tyromont Canadier aluminium stretcher



Stretcher sleigh for easy-to-medium difficulty pistes. The three triangular stabilisers specially designed for this product, provide an excellent stability in descent. Light and sturdy.



Length	2000 mm
Width	600 mm
Weight version chain	19 kg
Weight version brake	23 kg

TRINEAU CANADIER

93004	Tyromont Canadier stretcher sleigh with brake chain	P
93040	Tyromont Canadier stretcher sleigh with brake chain system	P



The braking system provides optimum, comfortable braking, whatever the snow type.

The rescuer brakes by lowering the arm.

The raised profile of the front of the stretcher and the large surface area of the body mean the injured person can be comfortably laid out.



Nylon protective cover for injured person (watertight and insulated), fitted with 8 side handles for carrying. Large Velcro closure tape, large enough for an injured person on an immobilisation mattress.



Length	2120 mm
Width	560 mm
Weight	2,80 kg

93050	"Mummy" protection cover	P
0503051	Red non-slip PVC comfort mattress for stretcher sleigh	P

Tyromont AKJA 2200 Plus sledge



This single piece aluminium structure has excellent rigidity. The two pairs of arms can be easily detached using "bayonet" clips. The steering rudders and steel banking squares provide for stability, even with icy snow.



Length	2150 mm
Width	560 mm
Weight	21 kg



AKJA 220 Plus SLED

93031	Akja 2200 sled + Tyromont	P
93010	Brake chain for sled	P



Nylon protective cover for injured person (watertight and insulated), fitted with 8 side handles for carrying. Large Velcro closure tape, large enough for an injured person on an immobilisation mattress.



Length	2120 mm
Width	560 mm
Weight	2,80 kg

93050	"Mummy" protection cover	P
0505011	Red non-slip PVC comfort mattress for sled	P

Spare parts



Make the most of the close season to overhaul your sledges and stretchers. We carry out a full inspection and repairs, upon acceptance of quotation.

SPARE PARTS FOR POLYESTER STRETCHER

0502011	Cover	U
0502021	Left-hand and right-hand side sheets	U
0502031	Foot cover sheet	U
0502041	Polycarbonate cover arch	U
0502051	Red non-slip PVC in a mattress	U
0502061	Inner support strap - set of 4	U

SPARE PARTS FOR ALUMINIUM STRETCHER

0503011	Cover with window	U
0503021	Left-hand and right-hand side sheets with pocket and ski holders	U
0503031	Foot cover sheet	U
0503041	Polycarbonate cover arches - set of 2	U
0503051	Red non-slip PVC inner mattress	U
0503061	Inner support strap - set of 3	U
0503071	Double traction strap	U
0503081	Aluminium shafts with rope, cap and nylon end - pair	U
0503091	Aluminium brake pads with stainless steel spike - pair	U

SPARE PARTS FOR TYROMONT STRETCHER

	Brake chain for stretcher sleigh	U
99031	Aluminium loop	U
99033	Strap	m
99034	Bridge with 2 rivets	U

PIÈCES DÉTACHÉES POUR BARQUETTE TYROMONT

93010	Brake chain for sled	U
99031	Aluminium loop	U
99033	Strap	m
99034	Bridge with 2 rivets	U
93053	Aka 2200 + sled arm	U
99015	Front/rear carrying handle	U
99016	Bayonet lever with spring (left-hand and right-hand side)	U
99010	Complete arm attachment kit for Akja sled (from 1992 to...)	U



IMMOBILISATION & FIRST AID EQUIPMENT

- Immobilisation equipment
- First aid equipment
- Resuscitation equipment
- Diagnostic equipment



Vacuum immobilisation equipment

FULL POLYURETHANE MATTRESS

0601001 Full mattress U

DATASHEET

- Three layers (2 PU + 1 PVC-coated fabric)
- Double-sided upper layer of polyurethane, elastic and flexible even in extreme cold temperatures
- Lower layer resistant to friction and tearing
- Handles
- Tapered end 1/4 turn metal tap, extremely strong
- No seams - one piece mattress
- Assembled by high frequency welding
- Three support straps
- Trois sangles de maintien
- Filled with high-density micro-spheres diameter less than 1 mm



0601011 CUSTOMISATION OF VACUUM EQUIPMENT / CARRY BAG U



PARTIAL MATTRESS AND POLYURETHANE SPLINTS

0601011	Partial mattress	U
0601021	Adult leg splint	U
0601031	Adult arm splint / child leg splint	U
0601041	Wrist splint	U

DATASHEET

- Three layers (2 PU + 1 PVC-coated fabric)
- Tapered end 1/4 turn metal tap
- Filled with high-density micro-spheres diameter less than 1 mm

REPAIR OF VACUUM EQUIPMENT

0601901	Repair kit: puncture patches and PU tape, brush and special adhesive	U
0601902	Plastic buckle (male) - 25 mm	U
0601903	Plastic buckle (male) - 30 mm	U
0601904	Plastic buckle (male) - 40 mm	U
0601905	Tapered end 1/4 turn metal tap cónico	U



0601901



CARRYING BAG

0601101	Carrying bag for <i>full mattress</i> - high-strength PVC coated fabric - waist straps - pocket for pump foam back for comfort	U
0601111	Carrying bag for splint set	U
0601991	Customisation of vacuum equipment and carrying bag	U

Vacuum pumps



ANODISED ALUMINIUM PUMPS

0601201	Large (body 33 cm)	U
0601211	Small (body 22 cm)	U
0601911	Silicone hose	m



Made by MBS-ADIC

Assembled with silicone grease.
Delivered with silicone hose.

PVC PUMP

0601205	2-way PVC pump - hose and ends	U
----------------	--------------------------------	---

Rigid splints



The aluminium framework enables this type of splint to be shaped to fit the fractured limb.

0602001	ALUFORM adult leg splint	U
0602011	ALUFORM child leg splint	U
0602021	ALUFORM elbow splint	U
0602031	ALUFORM forearm splint	U
0602101	FERNO KED 125	U

VARS Splint



Plastic forearm splint (polypropylene, polyamide) with attachment for immobilising the hand (attachment 1), wrist (attachment 2), elbow and shoulder (attachments 3 and 4). Specific attachment can be used to mobilise the thumb (attachment 1) prior to immobilising the rest of the upper limb. This splint can also be used for the wrist only, by removing attachments 3 and 4.

0603001	Vars SOBER Splint	U
----------------	-------------------	---

Immobilisation equipment

GILET DE SECOURS

0603011 Sling - One size only

U



Fabric sling for use with left or right shoulder. For injuries to the shoulder and upper limb (dislocations, fractures), requiring the elbow to be immobilised against the body. A small cushioning pad can be used in the armpit.



COUDOCOR® STANDARD

0603021 One size only

U

COUDOCOR® PLUS

0603031 One size only

U



This COUDOCOR® covers the whole shoulder. Use as per standard COUDOCOR®.



NEW

COUDOCOR® SINGLE USE

0603032 One size only

U

COLLIERS CERVICAUX SOBER

060400. Adult / child cervical collar T1, T2 or T3 U

060401. Paediatric cervical collar T1, T2 or T3 U

0604901 Carrying bag for 6 SOBER cervical collars U



Cervical collars in 2 sections, with indentation to fit trachea and carotid. Velcro fastening. Sturdy, efficient, easy to use.



0604999

SHORT TEXT MARKING ON ALL SOBER PRODUCTS



LAERDAL CERVICAL COLLARS

0604101 Stifneck Select adjustable adult cervical collar - 4 positions U

0604111 Stifneck Select adjustable paediatric cervical collar - 3 positions U




Single section cervical collars, simple adjustment mechanism with lock, radiotransparent, rear opening, large indentation for trachea.

First aid kits and packs

"PATROUILLEUR" PACK 29 litres

0804001 Patrouilleur pack 29 litres

U


 420 denier high-strength polyester fabric (extremely sturdy), padded back, pre-formed shoulder straps, adjustable waist belt, shovel and pole holder straps, upper fleece compartment for masks and goggles, adjustable harnesses, load adjusters...



CARRYING POUCH

0804011 3 compartment pouch

U

 3 compartment carrying pouch - with special grip handle for removal from pack, clear window to view products. Sold empty - Suitable for any rucksack of over 25 l. Dimensions: 41.5 x 21 cm - Inner pocket height: 10 cm max



ORTOVOX FIRST AID KIT

02300 ORTOVOX First Aid kit (full) - 500 g with contents

U

02400 ORTOVOX First Aid kit (empty) - 100 g

U

 Dimensions : 28 x 18 x 6 cm - Content:

- 4 individual compresses
- 1 survival blanket
- 1 pair First Aid scissors DIN 145 mm
- bandages
- cut-out bandages
- 2 blister bandages
- 1 bandage with 8cm x 5m cello
- 2 elastic gauze bandages 6cm x 4m
- 1 pair of First aid gloves
- 1 roll of sticking plaster 1.25 cm x 5 m
- 2 antiseptic wipes
- 1 pencil
- 2 accident report forms
- 1 content list
- 1 scarf



ORTOVOX Little Help First Aid Kit

02321 Full kit - weight: approx. 270 g

U

02421 Empty kit - weight: approx. 90 g

U

 Dimensions : 11 x 10 x 16 cm - Content:

- 2 individual sterile compressors
- 1 bandage 6 cm x 1 m
- 1 pair of first aid gloves
- 1 scarf
- 1 bandage 8 cm x 5m cello.
- 2 elastic gauze bandages 6cm x 4m
- 1 roll of sticking plaster 1.25 cm x 5 m
- 1 survival blanket

Resuscitation equipment



SUCTION PUMP

- 0606001** AMBU® Twin Pump - fast flowrate device for hand or foot operation and designed for emergency pharyngeal and trachea suction. U



SUCTION PUMP

- 0606011** AMBU® Res-Cue Pump™ - Portable hand-operated suction pump, designed for emergency use U

- 0606015** Single use collection container for AMBU® Res-Cue Pump™ U

NEW

AMBU VENTILATOR

- 0606021** AMBU® MARK IV ADULTE with O₂ storage and T5 mask - fullyvable autoclaved (closed tank) - Double wall - Single-shutter patient valve- Integrated handle - Pressure-limiting valve with override system U

- 0606022** AMBU® MARK IV PAEDIATRIC with O₂ hose and T0 mask U



- 0606031** AMBU® Silicone Plus adult with O₂ storage and T5 mask U

- 0606032** AMBU® Silicone Plus Paediatric with O₂ storage and T0 mask U

- 0606923** AMBU® O₂ Tank for MARK IV and Silicone Plus U

- 0606041** AMBU® SPUR II DISPOSABLE Adult with O₂ store and facemask U

- 0606042** AMBU® SPUR II DISPOSABLE Child with O₂ store and facemask U

NEW



AMBU TRANSPARENT FACEMASK



AMBU transparent facemask with inflatable cuff (no latex).
Cuff pressure can be regulated for quick, easy and tight sealing.
These masks can be autoclaved at 134° /18 minutes (prion procedures).

- 0606050** T0 mask for babies U

- 0606052** T2 mask for children U

- 0606054** T4 mask for teenagers U

- 0606055** T5 mask for adults U

- 0606056** T6 mask for large adults U



Resuscitation equipment



FACEMASKS

0606061	High concentration O ² mask	<i>U</i>
0606071	Pocket mask	<i>U</i>



AMBU Life-Key MASK

0606081	Protective mask packaged in a white plastic unit - This mask was designed for mouth-to-mouth resuscitation to prevent contact with air breathed out by the victim	<i>U</i>
----------------	---	----------

Diagnostic equipment



NAIS BLOOD PRESSURE WATCH with INTERNAL MEMORY

0607001	NAIS Blood pressure watch	<i>U</i>
----------------	---------------------------	----------

- Wide digital display showing systolic, diastolic and pulse readings - 21 memories with automatic save and memory recall key - Calculate average blood pressure - Warning function in case of high blood pressure - Very easy to use (single on/off and inflation switch) - Ergonomically designed device (wide screen, large characters, universal wrist strap, light weight).



ONYX PULSE OXIMETER

0607011	ONYX Oximeter case	<i>U</i>
0607019	Oximeter case	<i>U</i>

- Small ! Light! Reliable! Automatic! Provides a reading for blood-borne oxygen content and heart rate - High resistance even to cold temperatures. Three-colour LED display. Dimensions : 3,3 cm x 3.3 cm x 5.7 cm. Weight : **36 grams** without batteries. Use with adults and children

LAERDAL semi-automatic defibrillator



Laerdal
helping save lives



Heartstart FR2 : smart, compact, light, sturdy, classified ERC 529 - SMART Technology, easy to use (operations given on display and voice messages) Same level of care for adults and children. 5-year warranty. Delivered with 2 pairs of electrodes, 1 lithium battery, 1 flash card - Weight: 2.1 kg

Standard FR2 semi-automatic defibrillator

0609001	Standard FR2 Heartstart defibrillator without ECG	<i>U</i>
0609011	Long life lithium battery	<i>U</i>
0609021	Semi-hard case with shoulder strap and abridged operating instructions	<i>U</i>
0609022	Watertight transport case	<i>U</i>
0609031	8 Mb memory card	<i>U</i>
0609042	Pre-gelified, pre-wired defibrillation electrode 2 pairs- adult	<i>U</i>
0609046	Pre-gelified, pre-wired defibrillation electrode 6 pairs- adult	<i>U</i>
0609041	Paediatric defibrillation electrode - 1 pair	<i>U</i>



NEW

LAERDAL automated defibrillator



Heartstart FRx : sturdy, safe, classified IP 55. With semi-automatic technology, quick shock function, pre-connected electrodes, RCP support, easy to use (vocal and visual instructions) - Same electrodes for adults and children (child/infant key). 5-year warranty - Delivered with defibrillation case, lithium battery, one child/infant key, rigid carrying case - Weight: 1.5 kg.

New FRX automated defibrillator

0610001	Heartstart FRX	<i>U</i>
0610011	Long life lithium battery	<i>U</i>
0610021	Hard case	<i>U</i>
0610051	Child/infant key	<i>U</i>
0610041	Case with 2 SMART II electrodes	<i>U</i>



O2+ Cylinder carrying pack



0621001 MBS-ADIC O² Rucksack U



Colour-coded pockets for different medical uses (ventilation/circulation/sterile). Pocket with inner storage nets. Cylinder visible from the outside - Side tube outlets. Reinforced, movable sack base. Handles at front and rear of bag + back straps. Can take all types and sizes of O₂ cylinders.



Blankets



INSULATING BLANKETS

0608001 Blanket U



Reduces heat exchange with the outside. Enables victim's temperature to be maintained and provides protection against the elements.

ANTI-BACTERIAL POLAR BLANKET

0608011 Blanket: 120 x 200 cm P



Stain-proof treatment - easy to clean - Extremely strong - Highly comfortable

Bulk orders of 25 or more can be customised.



ANTI-BACTERIAL BLANKETS AND CASING

0608021 Anti-bacterial blanket 180 x 110 cm U

0608022 Anti-bacterial casing 240 x 150 cm U



Outside: high strength coated polyester, navy blue. Inner padding - polyester wall for thermal insulation. Inside: green anti-bacterial polyurethane. Can be disinfected with everyday cleaning products, machine-washable.

A.R.V.A. (AVALANCHE VICTIM SEARCH DEVICE)

NEW



ORTOVOX

ORTOVOX S1

01135 A.R.V.A. Ortovox S1 set U



The first sensor-adjusted avalanche victim search device. Can be used to locate several buried victims simultaneously. Graphic signal display on large back-lit screen, with distance indicated. Electronic compass. Temperature indicator. Slope angle measurement. Victim depth indicator. Delivered with protective case, earphones and carrying straps.

DIMENSIONS: 123 x 80 x 32 mm - **FREQUENCY:** 457 kHz - **TEMPERATURE:** -20°C to +45°C - **POWER SUPPLY:** 3 AAA 1.5 V LR6 batteries - **TRANSMISSION - OPERATION LIFE:** approx. 350 hours - **RECEPTION:** approx. 20 hours - **WEIGHT:** approx. 240 g, including batteries.

ORTOVOX M2

01111 A.R.V.A. Ortovox M2 set U



Digital and analogue device, shock-resistant, ergonomic, watertight unit. Recommended by experts and highly valued by professionals, giving clear dual guidance to find the victim quickly and safely. Delivered with protective case, earphones and carrying straps.



DIMENSIONS: 145 x 62 x 25 mm - **FREQUENCY:** 457 kHz - **RANGE:** up to 80 m - **SEARCH AREA WIDTH:** up to 40 m - **TEMPERATURE:** -30°C to +50°C - **POWER SUPPLY:** 3 AAA 1.5 V LR6 batteries - **TRANSMISSION/OPERATION LIFE:** approx. 300 hours - **RECEPTION:** approx. 40 hours - **WEIGHT:** approx. 230 g, including batteries.



ORTOVOX F1 Focus

01121 A.R.V.A. Ortovox F1 Focus set U



Easy-to-use, for many years, this device has been one of the most popular with professionals, thanks to its proven analogue technology. Shock-resistant watertight, ergonomic unit. Delivered with protective case, earphones and carrying straps.

DIMENSIONS: 130 x 80 x 25 mm - **FREQUENCY:** 457 kHz - **RANGE:** up to 80 m - **SEARCH AREA WIDTH:** up to 40 m - **TEMPERATURE:** -30°C to +50°C - **POWER SUPPLY:** 2 AAA 1.5 V LR6 batteries - **TRANSMISSION/OPERATION LIFE:** approx. 350 hours - **RECEPTION:** approx. 40 hours - **WEIGHT:** approx. 230 g, including batteries.

Ortovox shovels



Avalanche handle with telescopic handle, T-shaped grip, LEXAN blade - Blade 30 x 23 x 5 cm.

02105 Orange shovel

U



Avalanche shovel with telescopic handle and ergonomic grip for left and right-handed users. Can also be used as a pick-axe. Red LEXAN unbreakable and bend-resistant blade 30 x 23 x 5 cm.

02100 PROFESSIONAL - red

U



For aluminium shovel fans, this new model is small and light weight, but high-performance. It has a telescopic handle and ergonomic grip for left and right-handed users. Sturdy and bend-resistance due to its aluminium/magnesium alloy. Can be used as a pick-axe. Blade 30 x 23 x 5 cm - Lifetime blade guarantee.

02120 PROFESSIONAL ALU: metallic blue/silver

U



Strong and sturdy snow shovel made of an aluminium/magnesium alloy, for mountain rescuers and heliskiers. Large shovelling volume, telescopic handle and ergonomic grip for left and right-handed users. Blade 33 x 24.5 x 5 cm.

02111 EXPERT: silver

U



Ortovox avalanche poles

NEW



ORTOVOX

LIGHT 240

02236 Light pole 240 cm U



Multi-section aluminium pole, with PFA system for ultra-fast assembly. Sold with case.



CARBON 240 / 320

02238 Carbon pole 240 cm U

02243 Carbon pole 320 mm U



Multi-section carbon pole, ultra-light, flexible and bend-resistant. Sold with case.



STEEL PRO 320

02250 Steel Pro pole 320 mm U



Multi-section stainless steel cable-based pole, with lever closure. Very popular with mountain rescue professionals, due to its strength and sturdiness. Sold with case.



MBS-ADIC poles


CARBON POLE

0704003 Carbon pole 3 metres long U

0704004 Carbon pole 4 metres long U



Non-folding carbon pole, 3 or 4 metres long, light and rigid with aluminium end.



FIBRE GLASS POLE

0704053 Fibre glass pole 3 metres long U

0704054 Fibre glass pole 4 metres long U

NIC IMPEX DEVICE

NEW



a.d. vanced A R V A

ARNI 2	a.d.vanced ARVA	U
---------------	-----------------	----------



Dual antenna, digital LCD screen and redirection LEDs. 16-bit processor for real-time searching and high-speed analysis ("pro mode" pure analogue) with manual calibration and multi-victim digital assistance.

Calibration setting-based scanning function in order to discount closest signal in order to detect victims further away at a different calibration setting.

Width of search area: 40 metres in digital mode with stable, constant signal - Max. theoretical range: 65 m.

Evolution + ARVA

ARNI +	Evolution + ARVA	U
---------------	------------------	----------



Special multi-victim mode, faster processor! Clearer signals, easier to interpret.

Automatic search for closest ARVA using directional arrows and progress indicators. Multi-victim indicator.

Width of search area: 40 metres in digital mode with a stable, constant signal - Max. theoretical range: 65 m.



TELESNOW SHOVEL

PETALU	Telesnow shovel alu	U
---------------	---------------------	----------

PETOR	Telesnow shovel red	U
--------------	---------------------	----------



Telescopic handle: 39 / 49 / 58 cm

Blade: 23 x 27 cm - Alu or red - Weight: 760 g

NYLON ROPE-BASED AVALANCHE POLE

S0240	Pole 2.40 m - diameter 10.2 mm	U
--------------	--------------------------------	----------

S0280	Pole 2.80 m - diameter 11 mm	U
--------------	------------------------------	----------



Very light anodised ZICRAL pole, for ultra-fast set-up, fitted with a patented suppository-shaped end, for easier lifting.



Avalanche pack




ACCESSORIES


- secondary pack with 100 search marker flags
- additional carrying cases
- additional flags
- additional bibs

- 500 g "coloneige" dye spray bottle
- megaphone
- PC banner + 2 telescopic tubes
- notepad + pencil

- megaphone (200 m range) 

- 2 carrying cases 

- whistle 

- 500 g red "coloneige" dye spray bottle 

- 230 flags :



• PC plasticized fabric banner with folding aluminium tubes

• notepad + stencil 

• doctor/leader/A, B, C, D and E team leaders bibs



AVALANCHE PACK

0708001	Full main pack	U
0708011	Full secondary pack	U
0708002	Empty main pack	U
0708012	Empty secondary pack	U
0708901	Empty additional carrying case	U
0708902	Additional flag	U
0708903	Additional bib	U
0708904	500 g "coloneige" dye spray bottle	U
0708905	Megaphone	U
0708906	PC banner + 2 telescopic tubes	U
0708907	Notepad + pencil	U



EASY SEARCHER

NEW



EASY SEARCHER 3

0710001 Easy Searcher 3: search target for Recco, avalanche poles, Arva and dogs


P



Remote-controlled 547 kHz transmitter, with pole detector and Recco diode

FUNCTIONS:

- Operating mode 1: remote-controlled 457 kHz transmitter, with pole detector
- Operating mode 2 : pole detector only
- User interface in English, French, Italian and German. Other languages available on request
- Power supply: AA ecological cold-resistant lithium batteries to last a full season. Active battery life display
- Unit: stackable plastic box with handle and wooden board, dimensions 41 cm x 31 cm x 8 cm.



0710011 Mobile control unit with LCD screen and carrying case

U



MANUAL MODE/INSTRUCTOR MODE

- individual control up to 16 targets
- OFF/457 kHz transmitter and pole detector/pole detector only.

Instructions: the operating mode and number of pole contacts is displayed for each transmitter. When the target is touched for the first time, the instructor is alerted by means of a "beep"

AUTOMATIC/PUBLIC MODE

the automatic mode for the general public can be used in avalanche rescue training sessions for the general public.

3 buttons can be used to select "easy" level (1 to 2 victims), "medium" level (2 to 4 victims) and "expert" level (3 to 6 victims). The LCD screen display is easy to interpret:

1. "Choisissez un exercice" (Select an exercise)
2. "Exercice prêt X victimes" (exercise ready X victims) (if the "expert" scenario is selected, the number of victims is not displayed)
3. Search time for each victim.

The LCD screen is automatically back-lit in the dark.



0710021 Fixed unit for use by unsupervised members of the public

U



This additional mobile control unit can be used without supervision.

The mobile unit is attached to a fixed unit, connected by means of a lead. As well as an additional power supply, the unit has 3 external buttons to select between three exercise levels: "easy", "medium" and "expert". An optical and acoustic unit can also be connected.



Easy Searcher XL version. A digital display can be added to the Easy Searcher device.

PLEASE CONTACT US.